

Safety Data Sheet

prepared to UN GHS Revision 3

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	849BASE	Revision Date:	31/03/2025
	Product Name:	Pro-Struct 849 - Chemical Resistant Joint Sealant Base	Supersedes Date:	28/09/2022
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multi-component joint f recommended	illers and sealants. Advised against:	others than
1.3	Details of the supplier of the safety	data sheet		
	Importer:	Importer		
	Manufacturer:	StonCor Africa (Pty.) Ltd. 8 Cresset Road Midrand Industrial Park, Chloorkop P.O. Box 2205 2001, Johannesburg South Africa Regulatory / Technical Information:		
		+27 11 254 5500		
	Datasheet Produced by:	Chettiar, Serisha - ehs@stoncor.com		
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside CHEMTREC +1 703 5273887 (Outsid		
		Giftinformasjonen: +47 22 59 13 00		

2. Hazard Identification

2.1 Classification of the substance or mixture

Carcinogenicity, category 1A

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

quartz (silicon dioxide)

HAZARD STATEMENTS

Carcinogenicity, category 1A PRECAUTION PHRASES	H350-1A	May cause cancer.
	P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	P284	Wear respiratory protection.
	P308+313	IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients						
Name According to EEC barium sulfate	<u>EINEC No.</u> 231-784-4	<u>CAS-No.</u> 7727-43-7	<u>%</u> 10 - <25	Classifications		
graphite (natural)	231-955-3	7782-42-5	10 - <25			
carbon black	215-609-9	1333-86-4	2.5 - <10	H351	Carc. 2	
quartz (silicon dioxide)	238-878-4	14808-60-7	0.1 - <1.0	H350-370	Carc. 1A, STOT SE 1	

CAS-No.

7727-43-7 7782-42-5 1333-86-4 14808-60-7

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information AFTER INHALATION: Move to fresh air. Not required AFTER SKIN CONTACT: Wash off with soap and plenty of water. AFTER EYE CONTACT: If eye irritation persists, consult a specialist. AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water.

M-Factors

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

High volume water jet. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. None.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2 Environmental precautions

No Information

6.3 Methods and material for containment and cleaning up

No special environmental precautions required. Prevent further leakage or spillage. After cleaning, flush away traces with water. Soak up with inert absorbent material.

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Take measures to prevent the build up of electrostatic charge. Provide sufficient air exchange and/or exhaust in work rooms. Provide appropriate exhaust ventilation at places where dust is formed. **PROTECTION AND HYGIENE MEASURES:** When using do not eat or drink. General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information STORAGE CONDITIONS: Keep in a well-ventilated place. Keep in properly labelled containers.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (EU)

Name	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
barium sulfate	7727-43-7				
graphite (natural)	7782-42-5				
carbon black	1333-86-4				
quartz (silicon dioxide)	14808-60-7				
Name	CAS-No.	OEL Note			
<u>Name</u> barium sulfate	<u>CAS-No.</u> 7727-43-7				
barium sulfate	7727-43-7				

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection
 RESPIRATORY PROTECTION: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

EYE PROTECTION: Safety glasses.
HAND PROTECTION: Rubber gloves Impervious gloves.
Body Protection: No Information
OTHER PROTECTIVE EQUIPMENT: No Information
ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

	··· · ································	
9.1	Information on basic physical and chemical properties Appearance:	Viscous Paste
	Physical State	Paste
	Odor	Offensive
	Odor threshold	Not determined
	pH	Not determined
	Melting point / freezing point (°C)	Not determined
	Boiling point/range (°C)	200 - 200
	Flash Point, (°C)	150
	Evaporation rate	Slower than ether
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	Not determined
	Vapour Pressure	Not determined
	Vapour density	Heavier than air

	Relative density Solubility in / Miscibility with water	1.45 - 1.55 Insoluble
	Partition coefficient: n-octanol/water Auto-ignition temperature (°C)	Not determined Not determined
	Decomposition temperature (°C) Viscosity Explosive properties	Not determined Not determined Not determined
9.2	Oxidising properties Other information	Not determined
	VOC Content g/l: Calculated grams Of VOC per liter Of coating product / Specific Gravity (g/cm3)	8 As applied. 1,667

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability Stable under normal conditions.

- **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.
- 10.4 Conditions to avoid No Information
- 10.5 Incompatible materials No Information
- 10.6 Hazardous decomposition products No Information

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:	
Oral LD50:	No information
Inhalation LC50:	No information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	This product contains one or more carcinogenic substances. See hazard classification and precautionary statements in Section 2 for further information.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
1333-86-4	carbon black	>15400 mg/kg oral, rat			0.000	0.000

Additional Information:

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

12. Ecological Information

12.1	Toxicity:	
	EC50 48hr (Daphnia):	No information
	IC50 72hr (Algae):	No information
	LC50 96hr (fish):	No information
12.2	Persistence and degradability:	No information
12.3	Bioaccumulative potential:	No information
12.4	Mobility in soil:	No information
12.5	Results of PBT and vPvB assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Other adverse effects:

No information

CAS-No.	Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	LC50 96hr
7727-43-7	barium sulfate	No information	No information	
7782-42-5	graphite (natural)	No information	No information	
1333-86-4	carbon black	No information	No information	
14808-60-7	quartz (silicon dioxide)	No information	No information	

13. Disposal Considerations

. . .

13.1 WASTE TREATMENT METHODS: Can be landfilled, when in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	Transport Information	
14.1	UN number	Not applicable
14.2	UN proper shipping name	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.
	Technical name	Not applicable
14.3	Transport hazard class(es)	Not applicable
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
WGK Class:	Not available

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H350	May cause cancer.
H351	Suspected of causing cancer.
H370	Causes damage to organs.

Reasons for revision

Substance and/or Product Properties Changed in Section(s):

- 01 Identification
- 02 Hazard Identification
- 03 Composition/Information On Ingredients
- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 11 Toxicological Information
- 14 Transportation Information
- 15 Regulatory Information

Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals

Date Printed: 31/03/2025

LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.